

**To:** Ham, Greg[Ham.Greg@epa.gov]  
**From:** Ex. 4 - CBI  
**Sent:** Fri 9/18/2015 8:28:14 PM  
**Subject:** Miller residential results tables  
[RW-001 Table 1.pdf](#)  
[RW-001 Table 2.pdf](#)  
[RW-002 Table 1.pdf](#)  
[RW-002 Table 2.pdf](#)  
[RW-003 Table 1.pdf](#)  
[RW-003 Table 2.pdf](#)  
[RW-004 Table 1.pdf](#)  
[RW-004 Table 2.pdf](#)

Greg,

Attached are a table 1 (Water Quality measurements) and table 2 (analytical results) for each residence samples were collected from for the Miller Chemical Homewell Sampling Site. Please let me know if you have any questions regarding any of these tables or if you would like me to make any changes to them.

Thanks,

Ex. 4 - CBI

Ex. 4 - CBI

Project Geoscientist

**Weston Solutions, Inc.**

Cell: (814) 591-5324

Office: (610) 701-3191

Fax: (610) 701-3187

[David.Scerbo@westonsolutions.com](mailto:David.Scerbo@westonsolutions.com)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary

information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.